Product family datasheet



# LEDriving BASIC R5W



## Product family datasheet

#### Technical data

	Product information General Product Information			Electrical Data		
Product description	Application (Category and Product specific)	Product type (off- road vs. on-road)	Global order reference		Power input	Nominal voltage
LEDriving BASIC ≙ R5W	Mainly used for signal/ indicator applications	Off-road ≙ R5W	5107CW		0.96 W	12.0 V
				Photomet	ric Data	Physical Attributes & Dimensions
Product description	Nominal wattage		Test voltage	Nominal l flux	uminous	Lamp base
LEDriving BASIC $\triangleq$ R5W	0 W	±20 %	13.5 V	55 lm		BA15s
				Lifetime D	ata	Capabilities
Product description	Length	Diameter		Lifespan B3	Lifespan Tc	Technology
LEDriving BASIC $\doteq$ R5W	29.0 mm	19.0 mm		2000 hr	2000 hr	LED
	Environmental & Regu			(EC) 1907/2	006 (REACh	)
Product description	Primary article identifier	Candidate list substance 1		CAS No. of substance 1		Safe use instruction
LEDriving BASIC ≜ R5W	4052899463332   4052899414556   4052899463127   4052899414532	Lead		7439-92-2	L	The identification of the Candidate List substance is sufficient to allow safe use of the article.

Product description	Declaration no. in SCIP database	
LEDriving BASIC $\triangleq$ R5W	12c61241-8e84-	
	49d2-aad6-	
	61ee9185fc4c a74ed	
	d59-fe84-466f-9e9c-	
	d76036657cbc 4deab	
	8c0-c089-4d6a-90f4-	
	3738f5af799e e8c7bd	
	92-d6cb-4cf2-9e8f-	
	8360bae74918	

### Product family datasheet

#### Download Data

	File
*	Brochures LEDriving Retrofits - Exchange overview (EN)

#### Legal advice

Not ECE conformOnly approved for off-road use. Any use on public road traffic leads to cancellation of vehicle operating licence and loss of insurance cover.

#### **References / Links**

Guarantee terms are available at www.osram.com/am-guarantee

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

