## Product family datasheet

# **OSRAM**

# **BATTERYstart 200**

Jump starters



### **Engine size compatibility**

To jump start 12 V vehicles with up to 3 L petrol engines



#### **Battery Power**

Powerful 6000 mAh Lithium Cobalt battery



#### **Powerbank-Function**

Charging electronic devices including smart phones and tablets



# Compact and powerful lithium jump starter with power bank feature

The OSRAM BATTERYstart200 is a powerful 6000mAH Lithium Cobalt jump starter for 12V vehicles up to 3L. It can also provide power for other electronic gadgets with a power bank feature that works through USB cables. An easy way to jump start your car, the BATTERYstart200 protects the user, jump starter and the vehicle with its connect system which features anti-spike, reverse polarity and short circuit protection. The BATTERYstart200 is compact enough to fit into the glovebox and weighs only 300g, making it easier to carry and use than the older models of jump starters.

# Product family datasheet

## Technical data

|                                 | Product information                         |   |                         |                             |
|---------------------------------|---|---|-------------------------|-----------------------------|
| Product description             | Efficiency                                  | Recommended Petrol<br>Engine size (up to) | USB sockets 2.1A        | 12V Power socket connection |
| BATTERY start 200 <sup>1)</sup> | Good  | 3 l                                       | 1                       | n/a                         |
|                                 |   | General Product<br>Information            | Physical Attributes & C | Dimensions                  |
| Product description             | Application (Category and Product specific) | Global order reference                    | Length                  | Width                       |
| BATTERY start 200 1)            | Lithium Starter                             | OBSL200                                   | 169.0 mm                | 89.0 mm                     |
| DATTERT Statt 200               | Litilidiii Startei                          | OBSEZOO                                   | 107.0 11111             |                             |
| DATTENT Staff 200               | Elumum Starter                              | Environmental & Regu                      |                         |                             |
| Product description             | Height                                      | Environmental & Regul                     | latory Information      |                             |

| Product description             | Declaration no. in |  |
|---------------------------------|--------------------|--|
|                                 | SCIP database      |  |
| BATTERY start 200 <sup>1)</sup> | 2e7825ad-09e9-     |  |
|                                 | 4b6c-9aa2-         |  |
|                                 | bf5e2e461e8f       |  |

<sup>1)</sup> Up to 3L Petrol

## Product family datasheet

### Download Data

|   | File  |
|---|---|
| Z | User instruction BATTERYstart                           |
| D | Movie application<br>BatteryStart How to Video (ITA)    |
| D | Movie application<br>BatteryStart How to Video (EN)     |
|   | Product movie OSRAM BATTERYstart 200 Product Video (EN) |

## Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet.

## **Application advice**

For more detailed application information and graphics please see product datasheet.

### **Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.