OSRAM

LEDriving SL R10W

Ideal replacement for any vehicle



Suitable for various vehicle interior and exterior applications

Available in Cool White



Reliable OSRAM quality stands for less lamp replacements

4-year guarantee (refer to www.osram.com/am-guarantee for precise conditions)



Suitable LED replacement for R10W

LEDriving SL R10W replacement lamps offer a modern and intense light with a color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional R10W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Product family datasheet

Technical data

	Product information			General Product Electrical Da Information		ata
Product description	Application and Product		Product type (off- road vs. on-road)	Global order reference	Power input	Nominal voltage
LEDriving SL ≙ R10W	Mainly used signal/indications	cator	Off-road ≙ R10W	5008DWP	1.24 W	12.0 V
				Photometric Data		Physical Attributes & Dimensions
Product description	Nominal wa	ttage	Test	Nominal luminous	Luminous	Diameter
Product description	Nominat wa	ittage		flux	flux tolerance	
LEDriving SL ≜ R10W	1 W		voltage		flux	19.0 mm
·			voltage	flux	flux tolerance ±25 % latory Inform. Art. 33 of EU	ation
·	1 W Lifetime Date Lifespan	ta	voltage	flux 125 lm Environmental & Regulinformation according.	flux tolerance ±25 % latory Inform. Art. 33 of EU	ation

4062172401296

 $^{^{1)}}$ Light-emitting diode lamp

Product family datasheet

Download Data

File



Brochures

LEDriving Retrofits - Exchange overview (EN)

Safety advice

Canbus compatible

Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.