OSRAM

NIGHT BREAKER H7-LED GEN2

NIGHT BREAKER H7 LED GEN 2



Street-Legal1)

The NIGHT BREAKER LED family - OSRAM's first street-legal1) LED retrofit lamps.



Up to 230% more brightness2) & 6000K

See and be seen with OSRAM. Cool white color temperature similar to daylight. For more safety on the road, especially when driving at night



Up to 5 times longer lifetime3)

Vibration resistant, environmentally friendly, and cost-efficient



4 Year OSRAM Guarantee4)

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.



With the new NIGHT BREAKER LED GEN 2, OSRAMs next generation of street-legal1) H7 LED retrofit lamps are now on the market.

Further developed, optimized and redesigned by OSRAM - The new NIGHT BREAKER LED GEN 2 H7. This impresses with an improved optical design that enables higher luminance and can therefore achieve optimized illumination. It impresses with a revised, innovative design for a more modern look and is characterized by more efficient thermal management, which can lead to a lower heat load. With OSRAMs street-legal1) retrofit lamps, you can benefit from highly energy-efficient, bright and modern LED light. With the new street-legal1) NIGHT BREAKER GEN 2 H7-LED you can now upgrade the function of your high- and low beam lights of the vehicle to state-of-the-art LED technology. These LED replacement lamps are suitable as a replacement for conventional H7 lamps and bases. They offer a modern and bright white light with a color temperature of up to 6000 Kelvin and impress with up to 230% more brightness2), while the glare of other road users falls below the permissible maximum values by up to 50%2) In comparison to standard lamps, such as halogen lamps, these LED retrofit lamps consume up to 60% less energy and convince thanks to the LED technology and the specially developed vibration-resistant design, with up to 5 times longer life time3). You can now replace your vehicle lamps with OSRAM's revolutionary NIGHT BREAKER LED retrofit lamps and experience trend-setting brightness with road approval1) Additionally, OSRAM offers a dedicated guarantee on all NIGHT BREAKER LED retrofit lamps4)

Product family datasheet

Technical data

	Product in	nformation						
Product description	Product le	Product legal advice 1		advice Product le	Product legal advice 3		Application (Category and Product specific)	
NIGHT BREAKER GEN2 H7 LED	light sour applies to respective in which t approval an equiva approval the vehicl and light currently compatibi more deta	1) Approved LED light source - only applies to the respective countries in which there is approval or to which an equivalent approval applies and the vehicle models and light functions currently listed in the compatibility list. For more details see www.osram.com/nb- led General Product Information		to 3) Compar E R112. halogen la 60% less	,		d low beam	
				a				
Product description	Global order reference		Nominal volt	age Nominal w	Nominal wattage		Test voltage	
NIGHT BREAKER GEN2 H7 LED	64210DW	NBG2	12.0 V	16 W		±10 %	13.2 V	
		Photomet	ric Data					
Product description	Power input	, , , , , , , , , , , , , , , , , , ,		Nominal lumino	us Colo	Color temperature		
NIGHT BREAKER GEN2 H7 LED	16.0 W	Cool white	e ±10 %	1500 lm	600	0 K		
	Physical A	Attributes &	Dimensions					
Product description	Diameter			_amp base Length		Product weight		
NIGHT BREAKER GEN2 H7 LED	13.9 mm	13.9 mm		77.9 mm		60.00 g	60.00 g	
	Lifetime [Lifetime Data		Certificates & standards	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Product description	Lifespan Tc			Standards	Primary article identifier			
NIGHT BREAKER GEN2 H7 LED	2500 hr	1500 hr	LED	ABG	4062172 4062172	2369282 2369244		

Product family datasheet

Product description	Declaration no. in SCIP database
NIGHT BREAKER GEN2 H7 LED	l arbete

Product family datasheet

Download Data

File



User instruction
NIGHT BREAKER LED GEN2 64210DWNBG2

Safety advice

Application advice: For more detailed application information and graphics please see product datasheet and user manual.

Legal advice

- 1) Approved LED light source only applies to the respective countries in which there is approval or to which an equivalent approval applies and the vehicle models and light functions currently listed in the compatibility list. For more details see www.osram.com/nb-led
- 2) Compared to the minimum requirements of ECE R112, while the glare is below the maximum permissible values by up to 50%
- 3) In comparison to traditional Halogen lamps
- 4) For precise conditions please refer to: www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaime

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

