Product family datasheet

LEDriving SLT W5W

LEDriving interior lamps for trucks



LED replacement lamp with a color temperature of up to 6,000 K Modern and intense uniform illumination



Replaces all conventional W5W 24 V lamp bases Easy upgrade to LED technology with plug & play solution



OSRAM

Reliable OSRAM quality stands for less lamp replacements 4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)

Suitable LED replacement for W5W



LEDriving SLT W5W replacement lamps offer a modern and intense light with a cool white color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional W5W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SLT lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Product family datasheet

Technical data

	Product information	General Product Information		Electrical Data			
Product description	Application (Category and Product specific)	Product type (off- road vs. on-road)	Global order reference		Nominal voltage		Nominal wattage
LEDriving PREMIUM SL \triangleq W5W	Mainly used for signal/ indicator/ interior applications	Off-road ≙ W5W	2845DW	/P	24.0 V	24.0 V 1 W	
				Photometric Data			
Product description	Power input tolerance	Test voltage	Power input	Light color LED	Luminou flux tolerance	lumin	ou
LEDriving PREMIUM SL \doteq W5W	±25 %	28.0 V	0.7 W	Cool white	±25 %	65 lm	
		Physical Att	ributes & [Dimensions			
Product description	Color temperature	Diameter		Lamp base		Length	
LEDriving PREMIUM SL \doteq W5W	6000 K	10.1 mm W2.1x9.5d				25.4 mm	
		Lifetime Data			Capabilities		
Product description	Product weight	Lifespan Tc		Guarantee	Lifespan B3	Technology	
LEDriving PREMIUM SL \doteq W5W	1.70 g	3000 hr		4 years	1500 hr	LED	
	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)						
Product description	Primary article identifier	Declaration no. in SCIP database					
LEDriving PREMIUM SL	4062172401814	l arbete					

Product family datasheet

Download Data

	File
7	Brochures LEDriving Retrofits - Exchange overview (EN)
	Brochures Sales Folder LEDriving replacement lamps (EN)

Safety advice

Application advice: For more detailed application information and graphics please see product datasheet and user manual.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

